

Bulb 1003: 12 Watt Incandescent B-6 Bulb

- Voltage: 12.8V
- Current Draw: 0.938
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 15
- Lumens: 189
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4803510

Bulb 1076: 23 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 1.8
- Base: Double Contact Bayonet (BA15d)
- Filament: C-6
- Mean Spherical Candlepower: 32
- Lumens: 402
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4805330, 4805331

Bulb 1141: 18 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 1.44
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 21
- Lumens: 264
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4805860, 4805861

Bulb 1156: 27 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 2.1
- Base: Single Contact Bayonet (BA15s)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32
- Lumens: 402
- Average Rated Life Hours: 1,200
- J.W. Speaker Part #: 4802591, 4802592, 4802590, 4802595 (Obsolete)

Bulb 1157: 26.9 / 8.3 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 2.100 / 6.480
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32 / 3
- Lumens: 402
- Average Rated Life Hours: 1,200 / 5,000
- J.W. Speaker Part #: 4803110, 4803111, 4803112

Bulb 12850: 15 Watt Incandescent T-4-3/4 Bulb

- Voltage: 12V
- Current Draw: 1.25
- Base: SV8.5-8
- Filament: C-8
- Mean Spherical Candlepower: 15
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830720

Bulb 1638: 29 Watt Incandescent S-8 Bulb

- Voltage: 28V
- Current Draw: 1.02
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32
- Lumens: 402
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4800410, 4800411

Bulb 1662: 26.0 / 9.5 Watt Incandescent S-8 Bulb

- Voltage: 28V
- Current Draw: 0.929 / 0.339
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 36 / 6
- Lumens: 402
- Average Rated Life Hours: 400 / 1,000
- J.W. Speaker Part #: 4802850

Bulb 168: 4.9 Watt Incandescent T-3-1/4 Bulb

- Voltage: 14V
- Current Draw: 0.357
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 3
- J.W. Speaker Part #: 4830720

Bulb 1683: 28.6 Watt Incandescent S-8 Bulb

- Voltage: 28V
- Current Draw: 1.02
- Base: Single Contact Bayonet (BA15s)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32
- Lumens: 402
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4830750, 4830751

Bulb 1692: 17 Watt Incandescent S-8 Bulb

- Voltage: 28V
- Current Draw: 0.607
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-2R
- Mean Spherical Candlepower: 15
- Lumens: 188
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4830780 (Obsolete), 4830781 (Obsolete)

Bulb 1864: 4.8 Watt Incandescent T-3-1/4 Bulb

- Voltage: 28V
- Current Draw: 0.171
- Base: Miniature Bayonet (BA9s)
- Filament: C-2F
- Mean Spherical Candlepower: 3.5
- Lumens: 38
- Average Rated Life Hours: 1,500
- J.W. Speaker Part #: 4801700 (Obsolete)

Bulb 194: 3.8 Watt Incandescent T-3-1/4 Bulb

- Voltage: 14V
- Current Draw: 0.271
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 2
- Lumens: 25
- Average Rated Life Hours: 2,500
- J.W. Speaker Part #: 4805870

Bulb 20-W-MRC-16: 20 Watt Halogen MR-16 Bulb

- Voltage: 12V
- Current Draw: 1.67
- Base: Gx5.3
- Filament: C-8
- Average Rated Life Hours: 5,000
- J.W. Speaker Part #: 4831652, 4831650

Bulb 30-30: 30 / 30 Watt Halogen T-6 Bulb

- Voltage: 12.8V
- Current Draw: 2.5 / 2.5
- Base: PX15d
- Filament: (x2) C-6
- Average Rated Life Hours: 300 / 300
- J.W. Speaker Part #: 4831230

Bulb 3011: 36 Watt Incandescent S-11 Bulb

- Voltage: 28V
- Current Draw: 1.29
- Base: Single Contact Bayonet (BA15s)
- Filament: C-2V
- Mean Spherical Candlepower: 44
- Lumens: 553
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4805490 (Obsolete), 4805491 (Obsolete)

Bulb 3148681: Watt Flash Tube Bulb

- Voltage: 12-80V DC
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 3148681

Bulb 3155: 20.5 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 1.6
- Base: W3x16d
- Filament: C-6
- Mean Spherical Candlepower: 21
- Lumens: 264
- Average Rated Life Hours: 1,500
- J.W. Speaker Part #: 4831950, 4831952

Bulb 3156: 26.9 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 2.1
- Base: W3x16d
- Filament: C-6
- Mean Spherical Candlepower: 32
- Lumens: 402
- Average Rated Life Hours: 1,200
- J.W. Speaker Part #: 4831450, 4831452

Bulb 3157: 26.90 / 8.300 Watt Incandescent S-8 Bulb

- Voltage: 12.8 / 14V
- Current Draw: 2.100 / 0.648
- Base: W3x16q
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32 / 3
- Average Rated Life Hours: 1,200 / 5,000
- J.W. Speaker Part #: 4831460, 4831461, 4832150

Bulb 35-35-HI-LO: 35 / 35 Watt Halogen Bulb

- Voltage: 14V
- Current Draw: 2.5
- Mean Spherical Candlepower: 68
- Lumens: 68
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4831550 (Obsolete), 4831551 (Obsolete), 4831920

Bulb 464: 4.76 Watt Incandescent T-3-1/4 Bulb

- Voltage: 28V
- Current Draw: 0.179
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 3
- Lumens: 38
- Average Rated Life Hours: 5,000
- J.W. Speaker Part #: 4830790

Bulb 4831831: Flash Tube Bulb

- J.W. Speaker Part #: 4831831

Bulb 5008: 10 Watt Incandescent B-6 Bulb

- Voltage: 12V
- Current Draw: 0.833
- Base: Single Contact Bayonet (BA15s)
- Filament: C-2R
- Mean Spherical Candlepower: 10
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4831330

Bulb 50W-MRC-16: 50 Watt MR-16 Bulb

- Voltage: 12V
- Current Draw: 4.16
- Base: Gx5.3
- Filament: C-8
- Average Rated Life Hours: 4,000
- J.W. Speaker Part #: 4831642, 4831640

Bulb 525: Incandescent Bulb

- Voltage: 12.8V
- Current Draw: 2.100-0.590
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Mean Spherical Candlepower: 32 / 3
- Average Rated Life Hours: 1,200-1,500
- J.W. Speaker Part #: 4831300

Bulb 537: 0.08 Watt Incandescent T2 Bulb

- Voltage: 120V
- Current Draw: 0.7
- Base: Wire Leads
- Filament: GLOW
- Average Rated Life Hours: 25,000
- J.W. Speaker Part #: 4821070

Bulb 5637: 10 Watt Incandescent B-6 Bulb

- Voltage: 24V
- Current Draw: 0.417
- Base: Single Contact Bayonet (BA15s)
- Filament: C-2R
- Mean Spherical Candlepower: 10
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4831440

Bulb 57: 3.36 Watt Incandescent G-4-1/2 Bulb

- Voltage: 14V
- Current Draw: 0.243
- Base: Miniature Bayonet (BA9s)
- Filament: C-2V
- Mean Spherical Candlepower: 2
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4800550

Bulb 577: 18 Watt Incandescent T-4-3/4 Bulb

- Voltage: 12.8V
- Current Draw: 1.41
- Base: Double End Caps (SF6)
- Filament: C-8
- Mean Spherical Candlepower: 21
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4830760 (Obsolete)

Bulb 6453: 15 Watt Incandescent T-4-3/4 Bulb

- Voltage: 24V
- Current Draw: 0.625
- Base: SV8.5-8 Festoon
- Filament: CC-8
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830770

Bulb 656: 1.7 Watt Incandescent T-3-1/4 Bulb

- Voltage: 28V
- Current Draw: 0.06
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 0.62
- Lumens: 8
- Average Rated Life Hours: 2,500
- J.W. Speaker Part #: 4805350 (Obsolete)

Bulb 7506: 21 Watt Incandescent S-8 Bulb

- Voltage: 12V
- Current Draw: 1.75
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 37
- Average Rated Life Hours: 150
- J.W. Speaker Part #: 4831350

Bulb 7511: 21 Watt Incandescent S-8 Bulb

- Voltage: 24V
- Current Draw: 0.875
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 37
- Average Rated Life Hours: 350
- J.W. Speaker Part #: 4831430

Bulb 7528: 21 / 5 Watt Incandescent S-8 Bulb

- Voltage: 12V
- Current Draw: 1.75 / 0.417
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Average Rated Life Hours: 150 / 1,500
- J.W. Speaker Part #: 4831340

Bulb 7537: 21 / 5 Watt Incandescent S-8 Bulb

- Voltage: 24V
- Current Draw: 0.875 / 0.208
- Base: Double Contact Bayonet (BA15d)
- Filament: (x2) C-6
- Average Rated Life Hours: 200 / 2,000
- J.W. Speaker Part #: 4831420

Bulb 795X: 50 Watt Halogen T-4 Bulb

- Voltage: 12.8V
- Current Draw: 3.91
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 108
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4830910 (Obsolete), 4830911 (Obsolete)

Bulb 862: 37.5 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 2.9
- Base: PGJ-13
- Filament: C-6
- Mean Spherical Candlepower: 72
- Lumens: 904
- Average Rated Life Hours: 1,500
- J.W. Speaker Part #: 4831180, 4831181

Bulb 881: 27 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 2.11
- Base: PGJ-13
- Filament: C-6
- Mean Spherical Candlepower: 43
- Lumens: 540
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830880, 4830881

Bulb 885: 50 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 3.91
- Base: PG-13
- Filament: C-6
- Mean Spherical Candlepower: 100
- Lumens: 1256
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4831720

Bulb 886: 50 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 3.91
- Base: PGJ-13
- Filament: C-6
- Mean Spherical Candlepower: 100
- Lumens: 1256
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4831060, 4831063

Bulb 889: 27 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 2.1
- Base: PGJ-13
- Filament: C-6
- Mean Spherical Candlepower: 75
- Lumens: 942
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831870, 4831871

Bulb 892: 16 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 1.25
- Base: PG-13
- Filament: C-6
- Mean Spherical Candlepower: 28
- Lumens: 352
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831860

Bulb 894: 37.5 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 2.93
- Base: PGJ-13
- Filament: C-6
- Mean Spherical Candlepower: 75
- Lumens: 942
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4830830, 4830831, 4830835 (Agri-Brite)

Bulb 899: 37.5 Watt Halogen T-3-1/4 Bulb

- Voltage: 12.8V
- Current Draw: 2.93
- Base: PG-13
- Filament: C-6
- Mean Spherical Candlepower: 60
- Lumens: 754
- Average Rated Life Hours: 2,000
- J.W. Speaker Part #: 4831990

Bulb 9004: 65 / 45 Watt Halogen T-4-3/4 Bulb

- Voltage: 12.8 / 12.8V
- Current Draw: 5.420 / 3.750
- Base: P29t
- Filament: (x2) C-6
- Lumens: 1195
- Average Rated Life Hours: 150 / 320

• J.W. Speaker Part #: 4831080

Bulb 9005: 65 Watt Halogen T-4-5/8 Bulb

- Voltage: 12.8V
- Current Draw: 5.42
- Base: P20d
- Filament: C-8
- Mean Spherical Candlepower: 135
- Lumens: 1695

• Average Rated Life Hours: 150
• J.W. Speaker Part #: 4831400, 4831402

Bulb 9006: 55 Watt Halogen T-4-5/8 Bulb

- Voltage: 12.8V
- Current Draw: 4.58
- Base: HB-4
- Filament: C-8
- Lumens: 1000
- Average Rated Life Hours: 320

• J.W. Speaker Part #: 4831610, 4831612

Bulb 904: 9.3 Watt Incandescent T-5 Bulb

- Voltage: 13.5V
- Current Draw: 0.689
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 4
- Lumens: 50

• Average Rated Life Hours: 5,000
• J.W. Speaker Part #: 4831370

Bulb 906: 9.3 Watt Incandescent T-5 Bulb

- Voltage: 13.5V
- Current Draw: 0.689
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 6
- Lumens: 75

• Average Rated Life Hours: 1,000
• J.W. Speaker Part #: 4831010

Bulb 912: 12.8 Watt Incandescent T-5 Bulb

- Voltage: 12.8V
- Current Draw: 1
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2R
- Mean Spherical Candlepower: 12
- Lumens: 15

• Average Rated Life Hours: 1,000
• J.W. Speaker Part #: 4831960, 4831961, 4831050

Bulb 916: 7.3 Watt Incandescent T-5 Bulb

- Voltage: 13.5V
- Current Draw: 0.541
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2F
- Mean Spherical Candlepower: 2
- Lumens: 25

• Average Rated Life Hours: 10,000
• J.W. Speaker Part #: 4831790 (Obsolete)

Bulb 921: 18 Watt Incandescent T-5 Bulb

- Voltage: 12.8V
- Current Draw: 1.41
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2R
- Mean Spherical Candlepower: 21
- Lumens: 264

• Average Rated Life Hours: 1,000
• J.W. Speaker Part #: 4831692, 4831690

Bulb 93: 13.3 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 1.04
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 15
- Average Rated Life Hours: 700

• J.W. Speaker Part #: 4831380

Bulb 97: 9.3 Watt Incandescent G-6 Bulb

- Voltage: 13.5V
- Current Draw: 0.689
- Base: Single Contact Bayonet (BA15s)
- Filament: C-6
- Mean Spherical Candlepower: 4
- Lumens: 50
- Average Rated Life Hours: 5,000
- J.W. Speaker Part #: 4831020

Bulb D1R: 35 Watt HID T-3 Bulb

- Voltage: 85V
- Base: PK32d3
- Filament: HID
- Lumens: 3200
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4831851, 4832010, 4831850

Bulb D1S: 35 Watt HID T-3 Bulb

- Voltage: 85V
- Base: PK32d3
- Filament: HID
- Lumens: 3200
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4832000, 4832001 (Obsolete), 4831630 (Obsolete)

Bulb D2S: 35 Watt HID T-3 Bulb

- Voltage: 85V
- Current Draw: 0.412
- Base: PK32d2
- Filament: HID
- Mean Spherical Candlepower: 254
- Lumens: 3200
- Average Rated Life Hours: 2,000
- J.W. Speaker Part #: 4831261, 4831260

Bulb H11: 70 Watt Halogen T-4 Bulb

- Voltage: 24V
- Current Draw: 2.92
- Base: PGJ19-2
- Filament: C-8
- Lumens: 1000
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4831500

Bulb H11-12V: 55 Watt Halogen T-4 Bulb

- Voltage: 12V
- Current Draw: 4.58
- Base: PGJ19-2
- Filament: C-8
- Lumens: 440
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4831490, 4831491 (Obsolete)

Bulb H13: 60 / 55 Watt Halogen T-4-5/8 Bulb

- Voltage: 12V
- Current Draw: 5.000 / 4.580
- Base: PX29t
- Filament: (x2) C-8
- Average Rated Life Hours: 300 / 1500
- J.W. Speaker Part #: 4831910

Bulb H3: 70 Watt Halogen T-3-1/2 Bulb

- Voltage: 24V
- Base: PK22s
- Filament: C-6
- Mean Spherical Candlepower: 146
- Average Rated Life Hours: 150
- J.W. Speaker Part #: 4832040

Bulb H3-12V: 55 Watt Halogen T-3-1/4 Bulb

- Voltage: 12V
- Current Draw: 4.58
- Base: PK22s
- Filament: C-6
- Mean Spherical Candlepower: 192
- Lumens: 1450
- Average Rated Life Hours: 320
- J.W. Speaker Part #: 4832050

Bulb H4: 75 / 70 Watt Halogen T-5 Bulb

- Voltage: 24V
- Current Draw: 3.130 / 2.920
- Base: P43t
- Filament: DUPLO
- Average Rated Life Hours: 150 / 300
- J.W. Speaker Part #: 4832200, 4831510, 4831700 (Obsolete)

Bulb H4-12v: 60 / 55 Watt Halogen T-4-5/8 Bulb

- Voltage: 12V
- Current Draw: 5.000 / 4.580
- Base: P43t38
- Filament: DUPLO
- Average Rated Life Hours: 75 / 150
- J.W. Speaker Part #: 4830990ns: 188

Bulb H8: 35 Watt Halogen T-4 Bulb

- Voltage: 12V
- Current Draw: 2.92
- Base: PGJ19-1
- Filament: C-8
- Lumens: 400
- Average Rated Life Hours: 350
- J.W. Speaker Part #: 4831840

Bulb H9: 65 Watt Halogen T-4 Bulb

- Voltage: 12V
- Current Draw: 5.42
- Base: PGJ19-5
- Filament: C-8
- Average Rated Life Hours: 250
- J.W. Speaker Part #: 4832210

Bulb HM202: 35 / 36.5 Watt Halogen T-6 Bulb

- Voltage: 12V
- Current Draw: 2.92 / 3.04
- Base: PX15d1
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831670, 4831671

Bulb HS1: 35 / 35 Watt Halogen T-4-5/8 Bulb

- Voltage: 12V
- Current Draw: 2.92 / 2.92
- Base: P43t38
- Filament: DUPLO
- Mean Spherical Candlepower: 825 / 825
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831980, 4831981

Bulb MR16: 35 Watt Halogen MR-16 Bulb

- Voltage: 24V
- Current Draw: 1.46
- Base: GU5.3
- Filament: C-8
- Mean Spherical Candlepower: 1,250
- Average Rated Life Hours: 2,000
- J.W. Speaker Part #: 4832090, 4832080

Bulb MR16-1: 20 Watt Halogen MR-16 Bulb

- Voltage: 12V
- Current Draw: 1.67
- Base: Gx5.3
- Filament: CC-8
- Mean Spherical Candlepower: 680
- Average Rated Life Hours: 4,000
- J.W. Speaker Part #: 4832120, 4832130

Bulb MR16-2: 35 Watt Halogen MR-16 Bulb

- Voltage: 12V
- Current Draw: 2.92
- Base: Gx5.3
- Filament: C-8
- Lumens: 1450
- Average Rated Life Hours: 4,000
- J.W. Speaker Part #: 4832100, 4832070

Bulb MR16-3: 50 Watt Halogen MR-16 Bulb

- Voltage: 12V
- Current Draw: 4.17
- Base: GU5.3
- Filament: C-8
- Mean Spherical Candlepower: 1,800
- Lumens: 960
- Average Rated Life Hours: 4,000
- J.W. Speaker Part #: 4832110

Bulb PS24: 23 Watt Bulb

- Voltage: 12.8V
- Current Draw: 1.8
- Base: PG20/3
- Mean Spherical Candlepower: 31
- Average Rated Life Hours: 1,700
- J.W. Speaker Part #: 4831880, 4831891, 4831893

Bulb PY27: 27 / 7 Watt Incandescent S-8 Bulb

- Voltage: 12.8V
- Current Draw: 2.11 / 0.547
- Base: W3x16q
- Filament: C-6
- Mean Spherical Candlepower: 22 / 1.7
- Average Rated Life Hours: 600 / 5,000
- J.W. Speaker Part #: 4832191

Bulb SP1: 10 Watt Incandescent Bulb

- Voltage: 36V
- Current Draw: 0.3
- Mean Spherical Candlepower: 6
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830660, 4830661

Bulb SP11: 65 Watt Halogen Bulb

- Voltage: 12.8V
- Current Draw: 4.65
- Mean Spherical Candlepower: 50
- Average Rated Life Hours: 500
- J.W. Speaker Part #: 4831071, 4831070

Bulb SP12: 35 Watt Halogen Bulb

- Voltage: 28V
- Current Draw: 1.25
- Mean Spherical Candlepower: 50
- Average Rated Life Hours: 1,000
- J.W. Speaker Part #: 4831090, 4831091, 4831095

Bulb SP14: 11.02 Watt Incandescent Bulb

- Voltage: 38V
- Current Draw: 0.29
- Mean Spherical Candlepower: 8
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831110, 4831111

Bulb SP15: 10.75 Watt Incandescent Bulb

- Voltage: 50V
- Current Draw: 0.215
- Mean Spherical Candlepower: 8
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831120, 4831121

Bulb SP16: 26 Watt Incandescent Bulb

- Voltage: 75V
- Current Draw: 0.346
- Average Rated Life Hours: 300

Bulb SP17: Watt Incandescent Bulb

- J.W. Speaker Part #: 4831190 (Obsolete), 4831191 (Obsolete)

Bulb SP2: 12 Watt Incandescent Bulb

- Voltage: 48V
- Current Draw: 0.25
- Mean Spherical Candlepower: 6
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830670, 4830671

Bulb SP5: 30 Watt Incandescent Bulb

- Voltage: 36V
- Current Draw: 0.85
- Mean Spherical Candlepower: 32
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830680, 4830681

Bulb SP6: 36 Watt Incandescent Bulb

- Voltage: 48V
- Current Draw: 0.75
- Mean Spherical Candlepower: 32
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830690, 4830691

Bulb SP7: 27.4 Watt Incandescent Bulb

- Voltage: 36V
- Current Draw: 0.72
- Mean Spherical Candlepower: 32
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830931, 4830930

Bulb SP8: 27 Watt Incandescent Bulb

- Voltage: 48V
- Current Draw: 0.54
- Mean Spherical Candlepower: 32
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830941, 4830940

Bulb SP9: 27 Watt Incandescent Bulb

- Voltage: 75V
- Current Draw: 0.36
- Mean Spherical Candlepower: 32
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4830951 (Obsolete), 4830950 (Obsolete)

Bulb W16W: 16 Watt Incandescent T-5 Bulb

- Voltage: 12V
- Current Draw: 1.33
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2R
- Mean Spherical Candlepower: 21
- Average Rated Life Hours: 300
- J.W. Speaker Part #: 4831971, 4831970

Bulb W5W: 5 Watt Incandescent T-3-1/4 Bulb

- Voltage: 12V
- Current Draw: 0.417
- Base: Miniature Wedge (W2.1x9.5d)
- Filament: C-2R
- Lumens: 50
- Average Rated Life Hours: 200
- J.W. Speaker Part #: 4831711, 4831710